SUNPOWER | PERFORMANCE

Making the conventional, exceptional









Engineered for Performance

- Smaller cells stay cooler when shaded, extending panel life⁴
- Proprietary encapsulant minimizes degradation from environmental exposure
- Conductive adhesive defends against daily temperature swings
- Redundant cell connections create flexible paths for continuous electricity flow



PERFORMANCE 3 COM

POWER RANGE: 405 - 420 W

The third-generation SunPower Performance 3 panel represents the latest chapter in a history of technology innovation, delivering enhanced warranty terms with an expanded active cell area for increased power and efficiency over previous generation panels.

Backed by an industry-leading warranty and an estimated 35-year useful life,¹ SunPower Performance panels wrap conventional front contact cells with 35 years of materials, engineering and manufacturing expertise to mitigate the reliability challenges of Conventional Panel design.

Durability that Translates to More Energy

Engineered to stand up to environmental stresses such as shading, daily temperature swings and high humidity, the SunPower Performance 3 panel delivers up to 8% more energy in the same space over 25 years compared to Conventional mono PERC Panels.²

A Track Record of Innovation Leadership

SunPower Performance panels represent the most deployed shingled cell panel in the industry—innovation protected by a growing portfolio of patents worldwide.³



4+ GW Deployed



60+ Countries



90+ Patents

A Better Product. A Better Warranty.

Each SunPower Performance panel is manufactured with the confidence to deliver more energy and reliability over time—and backed for 25 years by the SunPower Complete Confidence Panel Warranty.

Year 1 Minimum Warranted Power Output
 Maximum Annual Degradation
 Year 25 Warranted Power Output
 87.2%

PERFORMANCE 3 COM POWER: 405 - 420 W

Electrical Data				
Model	SPR-P3-420-COM-1500	SPR-P3-415-COM-1500	SPR-P3-410-COM-1500	SPR-P3-405-COM-1500
Nominal Power (Pnom)⁵	420 W	415 W	410 W	405 W
Power Tolerance	+5/0%	+5/0%	+5/0%	+5/0%
Efficiency	20.4%	20.1%	19.9%	19.6%
Rated Voltage (Vmpp)	45.3 V	45.0 V	44.5 V	44.0 V
Rated Current (Impp)	9.28 A	9.22 A	9.21 A	9.20 A
Open-Circuit Voltage (Voc) (+/-3%)	54.4 V	54.1 V	53.9 V	53.3 V
Short-Circuit Current (Isc) (+/-3%)	9.92 A	9.90 A	9.89 A	9.88 A
Maximum System Voltage	1500 V IEC			
Maximum Series Fuse	18 A			
Power Temp. Coef.	- 0.34% / °C			
Voltage Temp. Coef.	−0.28% / °C			
Current Temp. Coef.	0.06% / °C			

	Tests And Certifications
Standard Tests ⁶	IEC 61215, IEC 61730 Rated to 1500 V
Quality Certs	ISO 9001:2008, ISO 14001:2004
EHS Compliance	OHSAS 18001:2007, Recycling Scheme
Ammonia Test	IEC 62716
Desert Test	MIL-STD-810G
Salt Spray Test	IEC 61701 (maximum severity)
LeTID Test ⁷	IEC 61215 (MQT 23.1 LeTID detection) draft standard
PID Test	IEC 62804
Available Listings	TUV


Operating Condition And Mechanical Data		
Temperature	−40°C to +85°C	
Impact Resistance	25 mm diameter hail at 23 m/s	
Solar Cells	Monocrystalline PERC	
Tempered Glass	High-transmission tempered anti-reflective	
Junction Box	IP-67, Stäubli MC4-Evo2, 3 bypass diodes	
Weight	22 kg	
Max Load	Wind: 2400 Pa, 245 kg/m² front & back	
IVIAX. LUAU	Snow: 5400 Pa, 550 kg/m² front	
Frame Class 2 silver anodized		

- 1 Performance panels expected useful life of 35 years. Source: "SunPower P-Series Technology Technical Review," Leidos Independent Engineer Report. 2016.
- 2 SunPower 420 W, 20.4% efficient, compared to a Conventional Panel on same-sized arrays (370 W mono PERC, 19% efficient, approx. 1.94 m²), 0.25%/yr slower degradation rate (Jordan, et. al. Robust PV Degradation Methodology and Application. PVSC 2018).
- 3 Osborne. "SunPower supplying P-Series modules to a 125MW NextEra project." PV-Tech.org. March 2017.
- 4 SunPower Performance Series Thermal Performance, Z.Campeau 2016.
- 5 Measured at Standard Test Conditions (STC): irradiance of 1000 W/m², AM 1.5, and cell temperature 25° C.
- 6 Class C fire rating per IEC 61730.
- 7 Fraunhofer CSP LID Sensitivity according to IEC 61215 (MQT 23.1 LeTID detection).

Designed in U.S.A. by SunPower Corporation Assembled in China

Specifications included in this datasheet are subject to change without notice.

© 2021 Maxeon Solar Technologies, Ltd. All Rights Reserved. View warranty, patent and trademark information at maxeon.com/legal.





McNae Energy and Solar Ltd

MAIL PO Box 9086, Palmerston North 4441
OFFICE 4 Roxburgh Crescent, Hokowhitu,
Palmerston North 4410 T 06 3570405

